

R&D Services, Inc. 209 Tennessee Blvd Watertown, TN 37184 (931) 372-8871 www.rdservices.com

PRODUCT LISTING RDS-LF9431

Issued: January 1, 2025 Renewal Due: January 1, 2026

1.0 PRODUCT: Forest Wool

2.0 MANUFACTURER: Energy Control, Inc.

3.0 MANUFACTURING 804 W. Mill Street Ossian, IN 46777

4.0 PRODUCT TYPE: Loose-Fill Cellulose Insulation

5.0 PRODUCTS ARE EVALUATED ACCORDING TO THE FOLLOWING STANDARDS:

- 5.1 ASTM C739-11 "Standard Specification for Cellulosic Fiber Thermal Insulation"
- 5.2 16 CFR Part 1209 "Interim Safety Standard for Cellulose Insulation"

6.0 IDENTIFICATION AND MARKINGS:

6.1 Packaging of the listed product may contain the manufacturers name and address and the product name. The use of the R&D Services, Inc. (RDS) listing logo (containing the listing number), and the RDS ISO/IEC accreditations are voluntary but will be used in accordance with the listing agreement.

7.0 DESCRIPTION OF LISTING PROGRAM:

- 7.1 Quarterly on-site inspections of procedures and product testing are performed by RDS through visits to the facility. During each inspection the following actions are taken:
 - 7.1.1 Samples of cellulose product are selected for testing referenced in 7.2 and 7.3.
 - 7.1.2 In-house quality control records are reviewed for frequency and consistency
 - 7.1.3 Quality control test equipment is checked for calibration and functionality
- 7.2 Each quarter, RDS conducts the following tests:
 - 7.2.1 Design density ASTM C739
 - 7.2.2 Critical Radiant Flux ASTM C739/E970
 - 7.2.3 Smoldering Combustion ASTM C739
 - 7.2.4 pH ASTM D778
- 7.3 Annually, RDS conducts the following test:
 - 7.3.1 Thermal Resistance ASTM C739/C518
 - 7.3.2 Corrosiveness ASTM C739
 - 7.3.3 Fungi Resistance ASTM C739
 - 7.3.4 Water Vapor Sorption ASTM C739
 - 7.3.5 Odor Emission ASTM C739

8.0 INSTALLATION:

8.1 Product is to be installed in accordance with the manufacturer's published installation instructions by qualified installing personnel.



R&D Services, Inc. 209 Tennessee Blvd Watertown, TN 37184 (931) 372-8871 www.rdservices.com

PRODUCT LISTING RDS-LF9431

Issued: January 1, 2025 Renewal Due: January 1, 2026

9.0 EVALUATED PROPERTIES AND RESULTS:

PROPERTY	RESULT
Per ASTM C739	
Design Density (lb/ft³)	1.40
Critical radiant flux (W/cm²)	GREATER THAN 0.12
Smoldering combustion (max %)	LESS THAN 15
Corrosiveness (all metals)	PASS
Moisture vapor sorption (%)	LESS THAN 15
Thermal resistivity (°F-ft-h/Btu-in.)	3.75
Fungi resistance	NO GROWTH
Odor Emission	PASS

This listing report indicates that R&D Services, Inc. has evaluated this product as described herein, and it is eligible for listing. No other product is covered by this listing. R&D Services, Inc. makes no warranty, expressed or implied, or guarantee regarding the product covered by this listing.